

TEST REPORT

No. : GZMR260702732202

Date : Aug 05, 2026

Page: 1 of 8



CUSTOMER NAME: SHENZHEN XINTAO NEW MATERIALS CO., LTD
ADDRESS: 11 / F, BUILDING G1, XINGHE WORLD BUILDING, NO.1 YABAO ROAD,
LONGGANG DISTRICT, SHENZHEN

Sample Name : Cast Acrylic Sheet

Supplier : XINTAO

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

SGS Ref. No. : DGP26-006892

Date of Receipt : Jul 28, 2026

Testing Start Date : Jul 28, 2026

Testing End Date : Aug 05, 2026

Test result(s) : For further details, please refer to the following page(s)
(Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for
SGS-CSTC Standards Technical
Services Co., Ltd. Guangzhou Branch

Chypre Chen
Authorized signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Central Materials Reliability Laboratory

中国·广东·广州高新技术产业开发区科学城科珠路198号 中国·广东·广州市黄埔区开创大道1501号3栋101房 (86-20) 82155555 sgs.china@sgs.com

TEST REPORT

No. : GZMR260702732202

Date : Aug 05, 2026

Page: 2 of 8

Summary of Results:

No.	Test Item	Test Method	Result	Conclusion
1	Tensile Test	GB/T 1040.2-2022	See result	Pass
2	Tensile Modulus	GB/T 1040.2-2022	3000MPa	Pass

Note: Pass : Meet the requirements;
Fail : Does not meet the requirements;
N/A : Not Apply to the judgment.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Technical Services Co., Ltd.
Guangzhou Branch Chemicals & Reliability Laboratory

□ No.198, Kaifu Road, Science City Economic & Technology Development Area, Guangzhou, Guangdong, China □ Room 101, Building 3, No.1501, Kaichuang Avenue, Huangpu District, Guangzhou, China t:(86-20) 82155555 www.ssgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 中国·广东·广州市黄埔区开创大道1501号3栋101房 t:(86-20) 82155555 sgs.china@sgs.com

TEST REPORT

No. : GZMR260702732202

Date : Aug 05, 2026

Page: 3 of 8

1. Test Item: Tensile Test

Sample Description: A-Sheet

Test Method: GB/T 1040.2-2022

Lab Environmental Condition: (23 ± 2) °C, (50 ± 5) %RH

Test Result:

Sample A

Specimen Type: Type 1B

Test Speed: 5 mm/min

Gauge Length: 50 mm

Initial Distance Between Grips: 115 mm

Specimen Thickness: 4.33 mm

Test Item	Tensile Strength, MPa	Tensile Strain at Break, %
Test Result	68.6	3.4
Client's Requirement	≥65	≥3
Conclusion	Pass	Pass

Notes:

1. Test specimens were cut from the sample.
2. The protected film of test specimens was ripped off before test.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

□ No.198, Keshu Road, Science City Economic & Technology Development Area, Guangzhou, Guangdong, China □ Room 101, Building 3, No.1501, Kaichuang Avenue, Huangpu District, Guangzhou, China t(86-20) 82155555 www.sgs.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 中国·广东·广州市黄埔区开创大道1501号3栋101房 t(86-20) 82155555 sgs.china@sgs.com


TEST REPORT

No. : GZMR260702732202

Date : Aug 05, 2026

Page: 4 of 8

Test Photo:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

□ No.158, Kaifu Road, Science City Economic & Technology Development Area, Guangzhou, Guangdong, China □ Room 101, Building 3, No.1501, Kaifu Road, Huangpu District, Guangzhou, China t(86-20) 82155555 www.ssgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路158号 中国·广东·广州市黄埔区开创大道1501号3栋101房 t(86-20) 82155555 sgs.china@sgs.com

TEST REPORT

No. : GZMR260702732202

Date : Aug 05, 2026

Page: 5 of 8

Equipment Information:

Equipment Name	Model	Equipment No.	Calibration date	Next Calibration date
Automation Universal Testing Machine	Z020	GZMR-PL-E399	2026-03-20	2027-03-19



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
☐ No.198, Kaifu Road, Science City Economic & Technology Development Area, Guangzhou, Guangdong, China ☐ Room 101, Building 3, No.1501, Kaichuang Avenue, Huangpu District, Guangzhou, China t:(86-20) 82155555 www.ssgroup.com.cn
 中国·广东·广州高新技术产业开发区科学城科珠路198号 中国·广东·广州市黄埔区开创大道1501号3栋101房 t:(86-20) 82155555 sgs.china@sgs.com

TEST REPORT

No. : GZMR260702732202

Date : Aug 05, 2026

Page: 6 of 8

2. Test Item: Tensile Modulus

Sample Description: A-Sheet

Test Method: GB/T 1040.2-2022

Lab Environmental Condition: $(23 \pm 2) ^\circ\text{C}$, $(50 \pm 5) \% \text{RH}$

Test Result:

Sample A

Specimen Type: Type 1B

Test Speed: 1 mm/min

Specimen Thickness: 4.33 mm

Gauge Length: 50 mm

Initial Distance Between Grips: 115 mm

Test Item	Tensile Modulus, MPa
Test Result	3000
Client's Requirement	≥ 3000
Conclusion	Pass

Notes:

1. Test specimens were cut from the sample.
2. The protected film of test specimens was ripped off before test.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

□ No.158, Kechu Road, Science City Economic & Technology Development Area, Guangzhou, Guangdong, China □ Room 101, Building 3, No.1501, Kaichuang Avenue, Huangpu District, Guangzhou, China t(86-20) 82155555 www.sgs.com.cn

中国·广东·广州高新技术产业开发区科学城科珠路198号 中国·广东·广州市黄埔区开创大道1501号3栋101房 t(86-20) 82155555 sgs.china@sgs.com


TEST REPORT

No. : GZMR260702732202

Date : Aug 05, 2026

Page: 7 of 8

Test Photo:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessed at <http://www.sas.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized reproduction or any modification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and unsample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

☐ No.198, Kaifu Road, Science City Economic & Technology Development Area, Guangzhou, Guangdong, China ☐ Room 101, Building 3, No.1501, Kaichuan Avenue, Hangzhou District, Guangzhou, China t:(86-20) 82155555 www.sgsgroup.com.cn

中国·广东·广州高新技术产业开发区科学城珠光路198号 中国·广东·广州市黄埔区开创大道1501号3栋101房 t:(86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

No. : GZMR260702732202

Date : Aug 05, 2026

Page: 8 of 8

Equipment Information:

Equipment Name	Model	Equipment No.	Calibration date	Next Calibration date
Automation Universal Testing Machine	Z020	GZMR-PL-E399	2026-03-20	2027-03-19

Appendix information:

*The test report shall only be used for client scientific research, teaching, internal quality control, product research and development, etc. and just for client internal reference.

*Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.

***** End of report*****



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

□ No.198, Kaifu Road, Science City Economic & Technology Development Area, Guangzhou, Guangdong, China □ Room 101, Building 3, No.1501, Kaichuang Avenue, Huangpu District, Guangzhou, China t:(86-20) 82155555 www.ssgroup.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 中国·广东·广州市黄埔区开创大道1501号3栋101房 t:(86-20) 82155555 sgs.china@sgs.com